

# Basic advice on first aid at work



*This leaflet contains basic advice on first aid for use in an emergency. It is not a substitute for effective training*

## What to do in an emergency

### Priorities

Your priorities are to:


- assess the situation – do not put yourself in danger;
- make the area safe;
- assess all casualties and attend first to any **unconscious** casualties;
- send for help – do not delay.

### Check for a response

Gently shake the casualty's shoulders and ask loudly, 'Are you all right?' If there is no response, your priorities are to:

- shout for help;
- open the airway;
- check for normal breathing;
- take appropriate action.

*This is a web-friendly version of leaflet INDG347(rev1), revised 08/06*





## A Airway

To open the airway:

- place your hand on the casualty's forehead and gently tilt the head back;
- lift the chin with two fingertips.

## B Breathing

Look, listen and feel for normal breathing for no more than 10 seconds:

- look for chest movement;
- listen at the casualty's mouth for breath sounds;
- feel for air on your cheek.

If the casualty **is** breathing normally:

- place in the recovery position;
- get help;
- check for continued breathing.



If the casualty is **not** breathing normally:

- get help;
- start chest compressions (see CPR).

## C CPR

To start chest compressions:

- lean over the casualty and with your arms straight, press down on the centre of the breastbone 4-5 cm, then release the pressure;
- repeat at a rate of about 100 times a minute;
- after 30 compressions open the airway again;
- pinch the casualty's nose closed and allow the mouth to open;
- take a normal breath and place your mouth around the casualty's mouth, making a good seal;
- blow steadily into the mouth while watching for the chest rising;
- remove your mouth from the casualty and watch for the chest falling;
- give a second breath and then start 30 compressions again without delay;
- continue with chest compressions and rescue breaths in a ratio of 30:2 until qualified help takes over or the casualty starts breathing normally.



## Severe bleeding

If there is severe bleeding:

- apply direct pressure to the wound;
- raise and support the injured part (unless broken);
- apply a dressing and bandage firmly in place.

## Broken bones and spinal injuries

If a broken bone or spinal injury is suspected, **obtain expert help. Do not move casualties** unless they are in immediate danger.

## Burns

**Burns can be serious so if in doubt, seek medical help.** Cool the affected part of the body with cold water until pain is relieved. Thorough cooling may take 10 minutes or more, but this must not delay taking the casualty to hospital.

Certain chemicals may seriously irritate or damage the skin. Avoid contaminating yourself with the chemical. Treat in the same way as for other burns but flood the affected area with water for 20 minutes. Continue treatment even on the way to hospital, if necessary. Remove any contaminated clothing which is not stuck to the skin.

## Eye injuries

All eye injuries are potentially serious. If there is something in the eye, wash out the eye with clean water or sterile fluid from a sealed container, to remove loose material. **Do not attempt to remove anything that is embedded in the eye.**

If chemicals are involved, flush the eye with water or sterile fluid for at least 10 minutes, while gently holding the eyelids open. Ask the casualty to hold a pad over the injured eye and send them to hospital.

## Record keeping

It is good practice to use a book for recording any incidents involving injuries or illness which you have attended. Include the following information in your entry:

- the date, time and place of the incident;
- the name and job of the injured or ill person;
- details of the injury/illness and any first aid given;
- what happened to the casualty immediately afterwards (eg went back to work, went home, went to hospital);
- the name and signature of the person dealing with the incident.

This information can help identify accident trends and possible areas for improvement in the control of health and safety risks.

### **Further information**

HSE priced and free publications are available by mail order from HSE Books,  
PO Box 1999, Sudbury, Suffolk CO10 2WA

Tel: 01787 881165

Fax: 01787 313995

Website: [www.hsebooks.co.uk](http://www.hsebooks.co.uk)

(HSE priced publications are also available from bookshops and free leaflets can be downloaded from HSE's website: [www.hse.gov.uk](http://www.hse.gov.uk)).

For information about health and safety ring HSE's Infoline Tel: 0845 345 0055

Fax: 0845 408 9566 Textphone: 0845 408 9577

e-mail: [hse.infoline@natbrit.com](mailto:hse.infoline@natbrit.com) or write to HSE Information Services,  
Caerphilly Business Park, Caerphilly CF83 3GG.

**This leaflet contains notes on good practice which are not compulsory but which you may find useful in considering what you need to do.**

This leaflet is available in priced packs of 20 from HSE Books,  
ISBN 0 7176 6193 8. Single free copies are also available from HSE Books.

© *Crown copyright*. This publication may be freely reproduced, except for advertising, endorsement or commercial purposes. First published 08/06. Please acknowledge the source as HSE.